









インナーケーブル規格表 (単より)				
INNER CABLE (Spiral Rope)				
Section 断面	Construction 構成	Diameter of rope ロープの径 (mm)	Diameter of wire 外層素線径 (mm)	Breaking Strength 切断荷重 kN
				Carbon steel 炭素鋼
	1X7	1.00	0.34	1.13
		1.20	0.40	1.47
		1.50	0.50	2.38
		1.65	0.55	2.79
		2.00	0.67	3.65
	1X 12	1.00	0.25	1.08
		1.20	0.30	1.47
		1.50	0.38	2.35
	1x 19	1.00	0.20	1.13
		1.20	0.24	1.47
		1.50	0.30	2.35
		1.60	0.32	2.74
		1.80	0.36	3.33
		2.00	0.40	4.12
		2.50	0.50	6.17
		3.00	0.60	8.33
		3.50	0.70	10.76
		4.00	0.80	14.70
	1x 37	3.00	0.43	8.67
		3.50	0.50	11.76
		4.00	0.58	14.70






ご要望により特殊な構成・サイズのロープを製造いたします。

Consult us for other constructions or sizes.

インナーケーブル規格表 (複より)				
INNER CABLE (Stranded Rope)				
Section 断面	Construction 構成	Diameter of rope ロープの径 (mm)	Diameter of wire 外層素線径 (mm)	Breaking Strength 切断荷重 kN
				Carbon steel 炭素鋼
	3X7	0.90	0.15	0.64
		1.00	0.17	0.78
		1.20	0.20	1.13
		1.50	0.25	1.72
	7X7	1.00	0.11	0.95
		1.20	0.14	1.18
		1.50	0.17	1.76
		1.59	0.18	2.14
		2.00	0.23	3.04
		2.50	0.28	4.70
		3.00	0.33	6.86
		3.10	0.34	7.25
	7X19	1.20	0.08	—
		1.50	0.10	1.86
		1.59	0.11	2.14
		1.80	0.12	2.60
		2.00	0.14	3.14
		2.38	0.16	4.45
		2.50	0.17	4.80
		3.00	0.20	6.86
		3.18	0.22	8.89
		3.50	0.23	10.19
	7x37	3.00	0.14	7.36
		3.50	0.17	9.78
		4.00	0.19	12.74

ご要望により特殊な構成・サイズのロープを製造いたします。

Consult us for other constructions or sizes..

インナーケーブル規格表(複より)					
INNER CABLE (Stranded Rope)					
Section 断面	Construction 構成	Diameter of rope ロープの径 (mm)	Diameter of wire 外層素線径 (mm)		Breaking Strength 切断荷重 kN
					Carbon steel 炭素鋼
	7XW19)	2.00	0.15	0.11	3.41
		2.50	0.19	0.14	5.43
		3.00	0.23	0.17	6.87
		3.50	0.26	0.20	9.88
		4.00	0.30	0.23	12.20
	12+7x7	1.50	0.15		1.91
		2.00	0.20		3.40
		2.50	0.25		5.08
		3.00	0.30		6.81
		3.50	0.35		9.13
4.00	0.40		11.75		
	19+7x7	1.50	0.15		1.92
		2.00	0.20		3.42
		2.50	0.25		5.10
		3.00	0.30		7.06
		3.50	0.35		8.64
4.00	0.40		12.05		
	19+8X7	1.20	0.11		1.29
		1.40	0.13		1.75
		1.50	0.14		2.01
		1.60	0.15		2.23
		1.80	0.17		2.83
		2.00	0.19		3.49
		2.38	0.22		4.83
		2.50	0.23		5.33
3.00	0.28		7.33		
	W(19)+8X7	1.20	0.11		1.29
		1.40	0.13		1.75
		1.50	0.14		2.01
		1.60	0.15		2.23
		1.80	0.17		2.83
		2.00	0.19		3.49
		2.38	0.22		4.83
		2.50	0.23		5.33
3.00	0.28		7.33		

ご要望により特殊な構成・サイズのロープを製造いたします。

Consult us for other constructions or sizes.