






## インナーケーブル規格表 ( 複より )

## INNER CABLE ( Stranded Rope )



Section 断面	Construction 構成	Diameter of rope ロープの径 mm	Diameter of wire 外層素線径 mm	Breaking Strength 切断荷重 kN	
				Carbon steel 炭素鋼	Stainless steel ステンレス鋼
					<b>3X7</b>
	<b>7x7</b>	0.27 0.36 0.45 0.54 0.63 0.72 0.81 0.90 1.00 1.20 1.50 1.59 1.80 2.00 2.38 2.50 3.00 3.10 3.50 4.00 4.76 5.00 5.56 6.00 6.35	0.03 0.04 0.05 0.06 0.07 0.08 0.09 0.10 0.11 0.14 0.17 0.18 0.20 0.23 0.27 0.28 0.33 0.34 0.38 0.45 0.53 0.55 0.62 0.67 0.71	— — — — — 0.47 0.58 0.61 0.85 1.18 1.76 2.14 2.65 3.04 4.09 4.70 6.86 7.25 9.02 11.76 16.46 18.91 21.36 23.52 27.15	0.055 0.097 0.15 0.22 0.29 0.39 0.49 0.61 0.74 1.18 1.76 2.14 2.40 3.04 4.09 4.70 6.86 7.25 9.02 10.88 15.39 16.95 20.97 23.05 26.07

インナーケーブル規格表 ( 複より )					
INNER CABLE ( Stranded Rope )					
Section 断面	Construction 構成	Diameter of rope ロープの径 mm	Diameter of wire 外層素線径 mm	Breaking Strength 切断荷重 kN	
				Carbon steel 炭素鋼	Stainless steel ステンレス鋼
	7X12	1.00	0.08	—	0.68
		1.20	0.10	1.13	0.98
		1.50	0.13	1.86	1.62
		1.80	0.15	2.60	2.21
		2.00	0.16	3.14	2.89
		2.50	0.21	4.80	4.26
		3.00	0.25	6.86	6.13
		3.50	0.29	10.19	7.94
		4.00	0.33	12.45	10.68
	7X19	1.00	0.07	—	0.68
		1.20	0.08	—	0.98
		1.50	0.10	1.86	1.62
		1.59	0.11	2.14	2.14
		1.80	0.12	2.60	2.21
		2.00	0.14	3.14	2.89
		2.38	0.16	4.45	4.09
		2.50	0.17	4.80	4.26
		3.00	0.20	6.86	6.13
		3.18	0.22	8.89	7.82
		3.50	0.23	10.19	7.94
		4.00	0.27	12.45	10.68
		4.76	0.32	18.72	16.46
		5.56	0.37	24.89	22.25
6.00	0.40	28.62	23.42		
6.35	0.42	31.16	28.42		
8.00	0.53	43.61	39.98		
	7X37	2.50	0.12	5.11	4.25
		3.00	0.14	7.36	6.12
		3.50	0.17	9.78	8.34
		4.00	0.19	12.74	10.86
		4.30	0.20	14.78	12.25
		4.70	0.22	17.78	15.00
		5.56	0.27	21.43	20.12
		6.00	0.29	26.86	23.40
8.00	0.38	45.42	41.57		

要望により特殊な構成・サイズのロープを製造いたします。  
Consult us for other constructions of sizes.



## インナーケーブル規格表（複より）

## INNER CABLE ( Stranded Rope )

Section 断面	Construction 構成	Diameter of rope ロープの径 (mm)	Diameter of wire 外層素線径 (mm)		Breaking Strength 切断荷重 kN	
					Carbon steel 炭素鋼	Stainless steel ステンレス鋼
	7XW19)	1.50	0.11	0.08	—	1.69
		1.80	0.14	0.10	—	2.43
		2.00	0.15	0.11	3.41	3.00
		2.50	0.19	0.14	5.43	4.69
		3.00	0.23	0.17	6.87	6.45
		3.50	0.26	0.20	9.81	8.77
		4.00	0.30	0.23	12.20	11.46
		4.76	0.36	0.27	17.05	16.23
		5.00	0.38	0.29	19.26	17.91
		5.56	0.42	0.32	22.68	21.09
		6.00	0.45	0.34	26.37	24.56
6.35	0.48	0.36	29.58	27.51		
	12+7x7	1.20	0.12		1.22	1.11
		1.30	0.13		1.44	1.30
		1.40	0.14		1.67	1.51
		1.50	0.15		1.91	1.74
		1.80	0.18		2.75	2.50
		2.00	0.20		3.40	3.09
		2.50	0.25		5.08	4.61
		3.00	0.30		6.81	6.64
		3.50	0.35		9.13	9.03
		4.00	0.40		11.75	11.80
		4.76	0.48		16.62	15.91
5.00	0.50		18.34	17.55		





## インナーケーブル規格表 (複より)

## INNER CABLE ( Stranded Rope )

Section 断面	Construction 構成	Diameter of rope ロープの径 (mm)	Diameter of wire 外層素線径 (mm)	Breaking Strength 切断荷重 kN	
				Carbon steel 炭素鋼	Stainless steel ステンレス鋼
	19+7x7	1.20	0.12	1.22	1.12
		1.30	0.13	1.44	1.32
		1.40	0.14	1.67	1.53
		1.50	0.15	1.92	1.75
		1.59	0.16	2.16	1.96
		1.80	0.18	2.77	2.51
		2.00	0.20	3.42	3.10
		2.50	0.25	5.10	4.63
		3.00	0.30	7.06	6.67
		3.50	0.35	8.64	9.07
		4.00	0.40	12.05	11.85
		4.76	0.48	16.70	15.98
5.00	0.50	18.42	17.64		
	19+8x7	1.20	0.11	1.20	1.11
		1.30	0.12	1.40	1.30
		1.40	0.13	1.63	1.51
		1.50	0.14	1.87	1.73
		1.60	0.15	2.23	1.97
		1.80	0.17	2.83	2.50
		2.00	0.19	3.49	3.08
		2.38	0.22	4.83	4.17
		2.50	0.23	5.33	4.60
		3.00	0.28	7.33	6.62
		3.18	0.3	8.01	7.44
		3.50	0.33	9.46	9.01
4.00	0.37	12.36	11.76		

## インナーケーブル規格表（複より）

## INNER CABLE ( Stranded Rope )

Section 断面	Construction 構成	Diameter of rope ロープの径 (mm)	Diameter of wire 外層素線径 (mm)	Breaking Strength 切断荷重 kN	
				Carbon steel 炭素鋼	Stainless steel ステンレス鋼
	W(19)+8X7	1.20	0.11	1.20	1.11
		1.30	0.12	1.40	1.30
		1.40	0.13	1.63	1.51
		1.50	0.14	1.87	1.73
		1.60	0.15	2.23	1.97
		1.80	0.17	2.83	2.50
		2.00	0.19	3.49	3.08
		2.38	0.22	4.83	4.17
		2.50	0.23	5.33	4.60
		3.00	0.28	7.33	6.62
		3.18	0.3	8.01	7.44
		3.50	0.33	9.46	9.01
4.00	0.37	12.36	11.76		
	19X7	3.18	0.21	8.90	—
		4.00	0.27	12.50	—
		4.76	0.32	18.70	—
	7X7X7	2.16	0.08	—	2.94
		2.43	0.09	—	3.72
		2.70	0.10	—	4.59
	19X19	2.25	0.09	—	4.00
		2.50	0.10	—	4.94
		2.75	0.11	—	5.97

要望により特殊な構成・サイズのロープを製造いたします。

Consult us for other constructions or sizes.